



Technical Datasheet

tasker® C284 Soft – 2x2x0,22 + 3x1,50 mm² Special DMX 110 Ohm Cable



CATEGORY Special production DMX Cable + Power
APPLICATIONS Active Digital Audio Cables

- A:** Black Soft **PVC UV resistant**. Outer cable Diam. Ø 16,00 (±0,50) mm.
B: The single sheaths are stranded with waste filler between conductors and wrapped with not woven polyester tape.

2x Digital Audio 110 Ohm Pairs:

- C:** Black **PVC**. Diam. Ø 4,00 (±0,20) mm.
D: Shielding O.F.C. red copper Spiral covering 100% + O.F.C. tinned copper drain wire.
E: Foam PE core Insulation, colored one Red and one Blue.
Diam. Ø 1,50 (±0,20) mm.
F: O.F.C. tinned copper formation 28x0,10 mm.
Nom. Cross section 2x2x0,22 mm².

Three Power Conductors:

- G:** Black **Flame-Retardant PVC**. Diam. Ø: 7,20 (±0,20) mm.
H: **PVC** core Insulation colored:
Brown, Blue and Yellow/Green. Diam. Ø 2,80 (±0,20) mm.
I: O.F.C. red copper formation 48x0,20 mm.
Nom. Cross section 3x1,50 mm².

MILAN S.r.l. a socio Unico
Head Office - Export Department
 Viale Europa, 74
 20047 Cusago (MI) Italy
 Tel. +39 02 9039.4556 - 4158
 www.taskercables.com

Ufficio Commerciale e Distribuzione
 Viale Europa, 72 Strada F12
 20047 Cusago (MI) Italy
 Tel. +39 02 9039.0037 - 0059
 www.tasker.it

Capitale Sociale € 100.000,00 i.v.
 Cod. Fisc. e RIVA/VAT Nr. IT 03835660154
 RE.A. MI 975732 Reg. Imprese MI 178864-5179-14
 PEC: taskerpec@legalmail.it

MARKING

tasker® C 284 Soft PVC - 2x2x0,22 + 3x1,50 mm² Extra Flex Digital DMX Cable – made in Italy

Cable Properties

Digital Audio Cables Resistance	79,15 Ω/Km
Power Conductor Resistance	13,30 Ω/Km
Capacity Core/Core	50 pF/m
Capacity Core/Shield	95 pF/m
Impedance	110 Ω
Digital Audio Rated Voltage	49V
Power Rated Voltage	500 V
Operative Temperature	-20/+70°C

USE	X	Indoor	Interno Edificio	INSTALLATION	X	Fixed	Fissa	INFORMATION	X	RoHS2 Compliant
Impiego		Outdoor Limited	Esterno Limitato	Posa	X	Restricted Mobile	Mobile Limitata	Informazioni	X	Ver. A / 17.02.25
		Outdoor	Esterno			Mobile	Mobile			
		Outdoor Direct Burial	Esterno Interrato			Mobile in Drag Chain	Mobile in Catena			